

D.K Lift Services Ltd Unit 2, Victoria Industrial Park Dartford, DA1 5AJ

Telephone: 0203 633 8129 Email: info@dkliftservices.co.uk

www.dkliftservices.co.uk

# **D.K LIFT SERVICES**

# NOVA Cabin Lifts

Our NOVA Cabin Lifts offers flexible and highly customisable solutions to make indoor or outdoor environments accessible with elegance, style and comfort for those who live and work in the environment in which it is installed.

The Suite Lift brings a stylish lift solution tailored to match the design and decor of any residential home. Whilst the Grand Suite elevator is the ideal commercial solution to improve accessibility in places open to the public such as shopping centres, hospitals, hotels, care homes and other public buildings.

NOVA Elevators are based in Italy and have been designing and manufacturing custom-made energy-efficient home lifts and commercial platform lifts since 1992.

With bespoke lifts installed in over 27 countries, a NOVA cabin lift will be able to provide custom-made functionality for any New Build or Property Refurbishment.





#### WHY NOVA LIFTS?

Find the perfect balance of attractive design and exceptional functionality in terms of space needs, costs, energy consumption and user experience with a NOVA cabin lift.








#### **BENEFITS OF THE SUITE LIFT**

- Cabin walls Skin-plate coverings are customisable in wood-effect or stainless steel
- Wide range of cabin accessories for users' comfort with stainless steel optional finishes
- Automatic doors and swing doors, including fire-rated doors and with thermal break
- Different styles of attractive LED lighting and suspended ceilings
- A choice of Panoramic glazed or full metal structures (or a combination of both)
- Smooth and silent ride with automatic "return-to-floor" in case of power failure
- Works with 3 different styles of operations: hold-to-run, automatic operation at landings and automatic operation both in car and at landings

DISCOVER OUR CABIN LIFT MADE-TO-MEASURE, ENVIRONMENTAL-FRIENDLY WITH LOW ENERGY CONSUMPTION





#### **COMPLIANCE**

All of our NOVA lifts are CE certified in compliance with Machine Directive 2006/42/CE.

The lift traction system is designed and manufactured according to Green Energy Principles, reducing energy consumption and consequently the emissions of CO₂ up to 70%.

#### **INSTALLATION & WARRANTIES**

Installation typically 5-12 days, depending on site conditions and lift travel.

All our lifts are supplied with a 12-month warranty as standard and we offer a range of service options tailored to suit your specific requirements.

#### RESPECT FOR THE ENVIRONMENT

The NOVA Suite traction system is designed and manufactured according to Green Energy Principles, reducing energy consumption and consequently the emissions of CO2 up to 70%.

It requires only 0.55 kW to run, equivalent to running your vacuum cleaner.





# **OUTDOOR & INDOOR APPLICATIONS**







#### **CAR FINISHES**

#### STANDARD - SKINPLATE FINISHES





Image: PPS10 Car Wall Finish





#### **CAR FINISHES**

#### **OPTIONAL - PLASTIC LAMINATE FINISHES**



**DOUGLAS ICE 388 MICROLINE** 



**DOUGLAS VANILLA** 381 MICROLINE



**TEAK SUMATRA** 1612 SEI-DUE



**ACERO OTTAWA** 385 SEI-DUE



DOUGLAS 387 MICROLINE



**ROVERE TENNESSEE** 656 HOLZ



Image: DOUGLAS ICE 388 Car Wall Finish





#### **CAR FINISHES**

**OPTIONAL - STAINLESS STEEL FINISHES** 



Brushed stainless steel



Mirror stainless steel



**Patterned** stainless steel



Image: Brushed Stainless Steel Metal Shaft & Door Finish





#### **CAR FLOOR FINISHES**

#### STANDARD - PVC FLOORING





**GHIACCIO** 





GRIGIO

**NERO** 



#### **OPTIONAL - GRANITE FLOORING**



BLU



CREMA LUNA





DOVE TAIL



BLACK DIAMOND

**GREEN DREAM** 



CHIARO AMBRA







#### **SHAFT FINISHES**

STANDARD - RAL COLOURS Available for metal shafts for landing doors for indoor and outdoor





Image: 9001 CREAM Shaft Finish





#### **SHAFT FINISHES**

**OPTIONAL - GLASS CLADDING** 






Image: STOP-SOL GLASS Shaft Finish





#### **DOOR FINISHES**

LANDING SWING DOORS







EI120 FIRE RATED DOOR "SOFIA" AVAILABLE

9 FOLDING CAR



FOLDING CAR
GLASS



11 AUTOMATIC CAR AND LANDING SLIDING DOOR



WITH 2 OR 3 PANELS

12 AUTOMATIC CAR AND LANDING SLIDING DOOR





WITH 2 OR 3 PANELS



#### **AUTOMATIC LANDING DOORS**

Automatic telescopic style sliding doors. with a choice of fully glazed (our most popular) & Stainless steel finish



Swing door styled landing opening. provides an opening of the full width with fire rated compliance



Concertina styled landing doors. Popular in listed buildings to maintain certain appearances.





Image: Full-Glass Automatic Sliding Doors





#### **OPTIONS AVAILABLE**

#### **KEYS**

safety key - on swing door

at landing

encoded key enabling key at landing

enabling key in car



spot LEDs

lighting - LED panel

**EXTERNAL** courtesy light















#### SWING DOOR MANUAL RELEASE

from inside car



#### DISPLAY

in car





#### DIGITAL DISPLAY





#### **TELEPHONE HANDSET**

in car



The options shown above are purely indicative and not binding. *The colours of the actual material* provided may differ from those shown in the printed catalogue. Contents subject to change without notice.









#### **TECHNICAL INFORMATION**


#### For Passengers Cabin Lift

| Standards compliance    | Machine Directive 2006/42/CE   |
|-------------------------|--|
| Duty load               | 200 kg / 300 kg / 400 kg / 500 kg  |
| Maximum speed           | 0,15 m/s - (0,30 m/s Extra-EU)   |
| Maximum travel          | 18 metres  |
| Maximum number of stops | 6 stops (additional stops upon request)  |
| Door height             | 2000 mm (other heights available upon request)   |
| Entrances               | Single, Through car, 90° car entrances   |
| Cabin height            | 2000 mm (other heights available upon request)   |
| Power supply            | 230 V single phase, 50 Hz (380 V three phase, 50 Hz upon request)                            |
| Motor power             | Starting from 1,1 kW   |
| Drive                   | Hydraulic  |
| Controller              | In cabinet or in a technical room (standard location: on the lowest floor next to the shaft) |

Swing doors with window are delivered with a PATENTED hidden handle, i.e. a handle integrated in the shutter to prevent getting stuck in it. Hidden handles for swing doors standard equipment Automatic opener for landing manual doors optional Device that allows the automatic opening and closing of landing swing doors.










VERTICAL SECTION








## **BENEFITS OF THE GRAND SUITE LIFT**

- Ensures accessibility in large residential buildings, public and private spaces for business use
- Strong and reliable freight elevator, ideal for transporting people and goods
- Wider and more comfortable cabin space for the vertical movement of heavy or bulky loads
- Easy to operate by attendant
- Duty load force up to 1,500 kg (about 20 people)
- Customisation with modern finishes and neat lines
- Wall and cabin roof finishes include Skinplate steel laminate, embossed RAL paint, galvanised finish or brushed stainless steel
- Lighting available with 4 or 6 LED spotlights or with single/double LED panel
- Wide range of landing swing or automatic doors





#### **TECHNICAL INFORMATION**

For Passengers or used as a Passenger-attendant and Goods Cabin Lift

#### CABIN


Cabin height clearance: 2100 mm


| Duty Load<br>(Kg) | Persons | Maximum cabin<br>surface (sqm) | Maximum cabin * size (mm) "BK x TK" | Shaft size (mm) * "BS x TS" |
|-------------------|---------|--------------------------------|-------------------------------------|-----------------------------|
| 750               | 10      | 2,8                            | 1500x1850 / 1100x2500               | 1950x2200 / 1550x2850       |
| 1000              | 13      | 3,6                            | 1500x2400 / 1400x2500               | 1950x2200 / 1550x2850       |
| 1200              | 16      | 4,0                            | 1700x2400 / 1600x2500               | 1950x2750 / 1850x2850       |
| 1500              | 20      | 4,3                            | 1700x2500 / 2200x2850               | 2200x2750 / 2100x2850       |

Recommended sizes related to masonry shaft with 900 mm automatic sliding doors, single entrance (see layout).


#### CABIN DOORS

|         |                   | Standard                 | Options   |
|---------|-------------------|--------------------------|---|
| Sliding | Туре              | 2TL                      | 2CE-4CE   |
|         | Door opening (mm) | 900                      | From 800 to 1200                                      |
|         | Door height (mm)  | 2000                     | 2100  |
|         | Finishes          | Skinplate as cabin walls | Galvanised, RAL painted 7001, Brushed stainless steel |





#### VERTICAL SECTION





### **TECHNICAL INFORMATION (CONTINUED)**

For Passengers or used as a Passenger-attendant and Goods Cabin Lift

#### LANDING DOORS

|             |                       | Standard          | Options             |
|-------------|-----------------------|-------------------|---------------------|
| Swing Doors | Туре                  | ANNA              | EMMA, LITZ, MARYLIN |
|             | Door opening (mm)     | 900               | From 800 to 1200    |
|             | Door height (mm)      | 2000              | 2100                |
|             | Nr. Of panels         | 1                 | 2                   |
|             | Frames width (mm)     | 100               | 100 ÷ 150           |
| Ę           | Finish                | embossed RAL 7001 | embossed RAL        |
| NS.         | 90° hold-open devices | Yes               |                     |
|             | Fire rated door       |                   | Yes                 |
|             | Enabling keys         | *                 | Yes                 |

|          | Туре              | 2TL               | 2CE-4CE, 2TL-E, 2CE-E, 2TL-EI, 2CE-EI   |
|----------|-------------------|-------------------|---|
| Slidings | Door opening (mm) | 900               | From 800 to 1200                        |
| <b>₩</b> | Door height (mm)  | 2000              | 2100                                    |
| ₹        | Frames width (mm) | 120               | 90 (for El models)                      |
|          | Finish            | embossed RAL 7001 | RAL (embossed), brushed stainless steel |

Remark: • Loading and unloading allowed with standard transpallet manually moved.

For special solutions, please contact Nova Elevators.

#### CABIN FINISHES

|             |                       | Standard                 | Options   |
|-------------|-----------------------|--------------------------|---|
|             | Vertical panels walls | Skinplate                | Galvanised, RAL painted 7001, Brushed stainless steel |
| Cabin parts | COP                   | Skinplate as cabin walls | Same as cabin walls                                   |
| Ба          | Ceiling               | White                    | Same as cabin walls                                   |
| 등           | Flooring              | PVC                      | Steel chequered plate / Aluminium chequered plate     |
| la la       | Lighting              | 4 LED spots lighting     | 6 LED spots / LED square panel                        |
|             | Bumper Rails          | •                        | Wooden  |
|             |                       |                          |   |







# DISCOVER THE ACCESS LIFTS PRODUCTS WE OFFER



## C2000 PLATFORM LIFT

The C2000 is a revolutionary platform lift offering comfortable, secure travel up to 6 floors for private residences and public access.



# FLEXSTEP PLATFORM LIFT


The FlexStep stairlift is designed to function both as an ordinary staircase and as a wheelchair lift, flexible and equally useful for pedestrians and wheelchair users.



# STAIRLIFTS PRODUCTS

Our Stairlifts are market leading products, giving you the utmost confidence in your purchase.





D.K Lift Services Ltd Unit 2, Victoria Industrial Park Dartford, DA1 5AJ

Telephone: 0203 633 8129 Email: info@dkliftservices.co.uk

www.dkliftservices.co.uk